Phytologia (July 1995) 79(1):10-11.

A NEW COMBINATION IN PHYSALIS (SOLANACEAE)

Barbro Axelius

Botaniska Institutionen, Stockholms Universitet, S-106 91 Stockholm, SWEDEN

ABSTRACT

Margaranthus solanaceous is transferred to the genus *Physalis* and hence the monotypic genus *Margaranthus* becomes a synonym of *Physalis*.

KEY WORDS: Physalis, Margaranthus, Solanaceae, systematics

Margaranthus Schldl. (Solanaceae) is a monotypic genus from México and the southwestern United States. It was described by Schlechtendal 1838. It has always been regarded as very closely related to the genus *Physalis* L., differing in form and colour of the corolla and insertion of filaments. The annual *M. solanaceous* Schlechtendal has an urceolate, violet/greenish corolla with adnate filaments while in *Physalis* the corollas are campanulate to nearly rotate, yellow or whitish and the filaments are free.

In his monograph, Rydberg (1896) considered Margaranthus as very closely related to *Physalis* but kept it as a separate genus. In a karvological report, Menzel (1950) noted the great similarities between *Margaranthus* and *Physalis* and, based on S/T ratio data placed Margaranthus between the annual sections Angulatae and *Pubescentes* of *Physalis*. She did not, however, make any formal transference. Waterfall (1958) in his survey of Physalis in North America commented on the similarity of Margaranthus to Physalis and noted that if not in flower, Margaranthus could not be distinguished from small-fruited species of *Physalis*. He stated that possibly Margaranthus should be included in *Physalis*, but that further studies including critical species of Chamaesaracha (C. grandiflora (Hook.) Fern., C. nana (A. Gray) A. Gray, both now in Leucophysalis) were needed before formal transference. He thus kept Margaranthus as it was originally described, as a genus of its own. On the other hand he included *Quincula lobata*, another related, monotypic genus in Physalis, even though Quincula differs from Physalis in several characters besides colour of corolla. This was probably due to *Quincula* originally being described as a *Physalis*.

My recent cladistic analyses of the physaloid group, including among others Margaranthus, Quincula, Chamaesaracha, and Leucophysalis (Axelius 1995) has

Axelius:

shown that *Margaranthus* is well nested within the *Physalis* clade (including *P. pubescens* L., *P. angulata* L., and *P. peruviana* L.), close to *P. pubescens* (Axelius 1995, fig. 1). The species of *Chamaesaracha*, *Quincula*, and *Leucophysalis* are more distantly related and found clearly outside the *Physalis* clade. The species of *Chamaesaracha* group together and form a very strongly supported sister-relation with *Quincula*. There is thus a rather strong support for the hypothesis that *Margaranthus* has originated from an ancestor within the core *Physalis*. This view is also in accordance with analysis based on molecular data (Martínez 1993). Hence *Margaranthus* cannot be kept separated from *Physalis* is a large genus which lacks a modern revision and it's circumscription might be questioned in many ways but to keep *Margaranthus* separated under these circumstances, can not longer be justified.

PHYSALIS SOLANACEOUS (Schlechtendal) Axelius, comb. nov. BASIONYM: Margaranthus solanaceous Schlechtendal, Index Sem. Hort. Hal. 1838 Coll. 8. 1838. TYPE: Cult. in Horto Botanico Halensis 1838, "e seminis in Mexico locis calidioribus coll. C. Ehrenberg". D.F.L. Schlechtendal s.n. (HOLOTYPE: HAL).

LITERATURE CITED

- Axelius, B. 1995. The phylogenetic relationships of the physaloid genera (Solanaceae) based on morphology. Amer. J. Bot. In press.
- Martínez, M. 1993. Systematics of *Physalis* (Solanaceae) section *Epeteiorhiza*. Ph.D. Dissertation, University of Texas at Austin. Austin, Texas.
- Menzel, M. 1950. Cytotaxonomic observations on some genera of the Solaneae: Margaranthus, Saracha and Quincula. Amer. J. Bot.. 37:25-30.
- Rydberg, P.A. 1896. The North American species of *Physalis* and related genera. Mem. Torrey Bot. Club 4:297-374.
- Schlechtendal, D.F.L. 1838. Index Seminum in Horto Academico Halensi 1838 Collectorum. Halle, Germany.
- Waterfall, U.T. 1958. A taxonomic study of the genus *Physalis* in North America north of Mexico. Rhodora 60:107-114; 128-142; 152-173.